



seasunaquarium.com

SeaSun aquarium



[Aquarium Product](#)



[Pump System \(Freshwater & Saltwater\)](#)



[Wave Pump](#)



[Sharkman \(Wave Pump\) Megalodon P5000 \(13000 L/hr\) \(24 VDC\)](#)

[Sharkman \(Wave Pump\) Great White P4000C \(8000 L/hr\)\(24 VDC\)](#) [Sharkman \(Wave Pump\) Megalodon P5000C \(13000 L/hr\)\(24 VDC\)](#)



P5000
Flow rate: 13,000L/h Max.
18-24VDC max.36W

The Megalodon and Great white pumps from “Sharkman” are a pair of powerful prop pumps from HongKong with more than a little bit in common with the Turbelle Stream pumps from Tunze. The ball shape, spheroid holder-mount and even the breakaway shots of the Sharkman Megalodon pump shows components that share an uncanny similarity with the spherical Tunze Nano Stream and Stream 2 pumps. A couple of videos coming from China’s big event called CIPS (China International Pet Show) demonstrate the 36w Megalodon’s 13,000 lph (3432 us gph) flowrate with enough oomph to push a good size wave in a six foot long aquarium.

Sharkman also makes a smaller version of the DC controllable propeller pump called the Great White which pushes a maximum 8000 lph (~2100 us gph) while consuming 21 watts. In addition to borrowing Tunze's™ design for the general function of the pump, the Megalodon and Great white pumps both seem to be mounted with a suction-cup reinforced magnet (optional) like Hydor's™ Korallia pumps. While this kind of magnetic mount may be sufficient for some models of Korallia pumps we lack confidence that this will hold up stronger pulsing DC pumps when mounted on glass above a reasonable thickness for the size of aquariums which would benefit from so much flow.

MAXIMUM INCLINATION

• Maximum flexibility

• Widest range of direction! for a 360° positioning

Longer lasting, durable rotor, ceramic seats and ceramic shaft Controllable with wave controller

Installation Steps:

- Step 1. Clean the glass with the plastic scraper provided
- Step 2. Make sure the glass is free from Coralline algae or dust
- Step 3. Place the clear suction cup at the desired area and press out the air
- Step 4. Place the black cover on the suction cup
- Step 5. Fasten the pump holder
- Step 6. During rotation, keep holding the position of the black cover
- Step 7. At least rotate the pump holder for 4 rounds (1440 °)
- Step 8. Place the pump into the pump holder
- Step 9. Connect the power and start the pump

Note: If you use for a curved glass, it will lose the suction. Please buy our magnet.

Sharkman Interval Controller

Number pieces in packaging:1 Number pieces in box:16
Customer Reviews: There are yet no reviews for this product.
Please log in to write a review.

You may also be interested in this/these product(s)
[Vendor Information](#)