







ring in pumphead (for easy and safe replacement after cleaning) Can be filled with filter pads and/or loose filter media Comes with spraybar, inlet pipe, hose and installation accessories Versatile accessories 5 models: 50-150, 80-250, 120-350, 180-600, 300-1500 l. **Reliable standard in high quality**

**The over decades and millionfold tried and tested external filter generation with a sound range of basic features and very high standard of quality.**

**Carefully matched components and features.**

**The balance between pump performance and tank volume provide the best conditions for your aquarium.**

**Pleasantly quiet running,  
robust durability, long service life  
low energy consumption**

**Excellent value for money**

**All models include spraybar, inlet pipe, hose and installation accessories**

**Specific equipment of individual models:**

- classic 150 with base for safe positioning
- classic 250 with filter basket, with 1 each of coarse filter pad, fine filter pad and activated carbon pad each
- classic 1500XL with practical drain tap; pump unit can be operated separately from the canister

**The filter can be operated with coarse and fine filter pads. However, we recommend a filter media layering set up using EHEIM filter media. For this, there are filter Media Sets for each model (except classic 150).**

**A variety of accessories allow you to upgrade the features to meet your requirements.**

Model	150 (2211)	250 (2213)	350 (2215)	600 (2217)	1500XL (2260)
Voltage	220-240 VAC				
Pump Power	5w	8w	15w	20w	65w
UVC Power	-				
Power Cord	1.5 m				

Capacity	Plant	100 L	150 L	200 L	330 L	800 L
	Freshwater	60 L	90 L	120 L	200 L	480 L
	Saltwater	30 L	45 L	60 L	100 L	240 L
Flow Rate		300 L/hr	440 L/hr	620 L/hr	1000 L/hr	2400 L/hr
Max Contain		1.3 L	3.5 L	4.8 L	6.6 L	23 L
Media Contain		1 L	3 L	4 L	6 L	18 L
Media Basket		-				

EAN	4011708220832
Article No.	2217010
UPC	(-)
For aquariums of about.	180.00 l
For aquariums up to approx.	600.00 l
Pump power (50 Hz) per hour of approx.	1,000.00 l
Pumping head approx. (H max at 50 Hz)	2.30 m
Power(50 Hz) to	20 watt
Filter volume	6.00 l
Container volume	6.60 l
Height	400.00 mm
Dimensions in	205.00 mm
Installation height	180.00 cm
Voltage	230 volt
Standard power plug	EUR
Packing	1 Part (s)
Packing dimensions(Width)	29.00 cm
Packing dimensions(Height)	41.00 cm
Packing dimensions(Depth)	21.00 cm
Hose Suction side(inside)	16.00/22.00 mm
Hose Druckseite(inside)	12.00/16.00 mm
Freshwater	yes
Sea water	yes
For outdoor use	no

## EHEIM classic 600 --



**Eheim Classic 150 (2211) 250 (2213) 350 (2215) 600 (2217) Spring Clips 7470650**



Eheim Classic 350 (2215) 600 (2217) Shaft 7438430



Eheim Classic 600 (2217) Impeller 7633590



Eheim Classic 600 (2217) Sealing Ring 7287148



PetLifeElite GAZ GranularActivatedZeolite 1000g (1000ml)



PetLifeElite CeramicLiveBioRings15 5 liters



PetLifeElite GFOGranularFerricOxide 250ml (1000 liters)



PetLifeElite GAC GranularActivatedCarbon 500ml (800 liters)

---

---

Number pieces in packaging:1 Number pieces in box:4  
**Customer Reviews:** There are yet no reviews for this product.  
Please log in to write a review.

**You may also be interested in this/these product(s)**

[Vendor Information](#)