



**seasunaquarium.com**

**SeaSun aquarium**



[Aquarium Product](#)



[Tester \(Freshwater & Saltwater\)](#)



[pH Tester \(pH\)](#)



Oase (Fountain Pump) Aquarius Fountain Set Eco 5500 (5500 L/hr)(70w)(H 3.8m)

[Oase \(Fountain Pump\) Aquarius Fountain Set Classic 4000 E \(4000 L/hr\)\(42w\)\(H 2.9m\)](#) [Oase \(Fountain Pump\) Aquarius Fountain Set Eco 7500 \(7500 L/hr\)\(85w\)\(H 4.0m\)](#)





Brand: [\( Oase \)](#)  
Product Name: Oase (Fountain Pump) Aquarius Fountain Set Eco 5500 (5500 L/hr)(70w)(H 3.8m)  
SKU: Oase Aquarius Fountain Set Eco 5500 (5500 L/hr)(70w)  
Barcode Link: [Price Baht 18,000.00](#)  
[Ask a question about this product](#)

70w

5500 L/hr

3.8m

Power

Head Max

178  
0 Oase  
(Fountain Pump) Aquarius  
Fountain Set Eco 5500 (5500  
L/hr)(70w)(H 3.8m)

shop.flypage lite pdf.to  
shop.cart  
185  
cartAdd  
com virtuemart  
4



**Guarantee 3 year send factory Aquarius Fountain Set Eco 5500 Key Features** Energy-efficient fountain pump â€œ saves money Individual alignment of the fountain is possible with swivel joint With additional second outlet for parallel operation of small watercourses or water spouts **Characteristic** ALL-IN-ONE: Fountain pump sets, powerful yet energy-efficient HEIGHT-ADJUSTABLE: Position the water fountain as desired using the telescopic tube extension (including integrated swivel joint) SUPER CLEAN: The adapter with a stainless steel fine filter sieve ensures that water patterns remain consistent â€œ even as dirt sets in SAFE AND SOUND!: The wide base ensures high stability INCLUDED IN THE PACKAGE: Lava and volcano nozzles are included in the scope of delivery MORE WATER FUN: Connect additional features to the second, adjustable outlet â€œ from filters to water spouts ENVIRONMENTAL FUNCTION CONTROL: This is EFC, by OASE: no problems caused by the pump being blocked or running dry

Technical Data

Dimensions (L x W x H)	mm	290 x 230 x 180
Rated voltage		220 - 240 V / 50 Hz
Power consumption	W	70
Power cable length	m	10.00
Net weight	kg	5.00
Guarantee (+ request guarantee)	Years	3 + 2

Max. flow rate	l/min	91
Max. flow rate	l/h	5500
Max. head height, metres	m	3.80
Pressure-side connection		G 1 ½
Suction-side connection		G 1 ½
Hose connection	mm	19 / 25 / 32 / 38

---



---

Number pieces in packaging:1 Number pieces in box:6  
**Customer Reviews:** There are yet no reviews for this product.  
Please log in to write a review.

**You may also be interested in this/these product(s)**  
[Vendor Information](#)