

seasunaquarium.com

SeaSun aquarium



Search by Brand



zzz>>>>> Jebac

Jebao (Wave Pump) RW-15 2019 (13000 L/hr)(24 VDC) <u>Jebao (Wave Pump) RW- 8 2019 (8000 L/hr)(24 VDC) Jebao (Wave Pump) RW-20 (20000 L/hr)(24 VDC)</u>



different look to widen the flow and also hake them quieter than the already silent WP's. The controller has some significant changes. Multiple pumps can now be controlled together in a master/slave format from a single controller. The controller will communicate with the designated slave pumps wirelessly, and can handle up to 8 slave pumps. Each slave pump's output can be adjusted individually, while the master pump controls the wave function. There is also a Feed button and a light sensor to reduce flow at night. The new RW series has 8 different selectable flow rates down to 10%, while the older WP only had 3 choices(100%/75%/50%). **Product**

Description

This compact pump is attached to the aquarium wall with magnets and protrudes only about 3 inches into the tank, making it very easy to hide. The pump includes a controller that can link with up to 8 other RW pumps wirelessly, and has several wave functions. The RW pumps can go down as low as 10% power, or 325 gal/hour, or as high as 100% power, or 3,250 gal/hour. Each slave pump's output can be adjusted individually, while the master pump controls the wave function.

The RW-15 is equivalent to the WP-40 in output, and similar in size, and quieter than the WP-40. Features?

- Easy installation and maintenance, Fixed with magnetic suction and absorption tray for selection
- Direction of wave can arbitrary rotation
- High performance, powerful water flow and low energy consumption.
- Adopt wear proof ceramic shaft can be used in a longer time.
- Intelligent wireless controlling system, can convert various wave patterns.
- Low voltage operation, safe and reliable.
- Suitable for fresh water and marine water.

	<u>SW</u> -15	RW-15	<u>WP-4</u> 0	<u>CP-</u> 40
Power consumption	40w			
(watts)	40W			
Q max. (I/h)	13,000 liters/hr			
Operating Voltage	24 VDC			
(volts)				
Diameter (mm.)	o60 x 93 mm	o90 x 120 mm	o95 x 120 mm	290 x 60 x 45
				mm

-

Jebao RW Controller



Jebao SW Controller



SeaSun Adapter 24VDC 4A

Number pieces in packaging:1 Number pieces in box:8 **Customer Reviews:** There are yet no reviews for this product.

Please log in to write a review.

You may also be interested in this/these product(s)

<u>Vendor Information</u>