

master/slave format from a single controller.

The controller will communicate with the designated slave pumps wirelessly, and can handle up to 8 slave pumps.

Each slave pump's output can be adjusted individually, while the master pump controls the wave function.

There is also a "Feed" button and a light sensor to reduce flow at night.

The new SW series has 8 different selectable flow rates down to 10%, while the older WP only had 3 choices (100%/75%/50%).

Product Description

This compact pump is attached to the aquarium wall with magnets and protrudes only about 3/4 inches into the tank, making it very easy to hide.

The pump includes a controller that can link with up to 8 other RW and SW pumps wirelessly, and has several wave functions.

The SW pumps can go down as low as 10% power, or 100 gal/hour, or as high as 100% power, or 1,000 gal/hour.

Each slave pump's output can be adjusted individually, while the master pump controls the wave function.

The SW-4 is equivalent to the WP-10 in output, and similar in size, and quieter than the WP-10.

Features

- Easy installation and maintenance,Fixed with magnetic suction and absorption tray for selection
- Direction of wave can arbitrary rotation
- High performance,powerful water flow and low energy consumption.
- Adopt wear proof ceramic shaft can be used in a longer time.
- Intelligent wireless controlling system,can convert various wave patterns.
- Low voltage operation,safe and reliable.
- Suitable for fresh water and marine water.

	<u>SW-2</u>	<u>SW-4</u>	<u>WP-10</u>
Power consumption	RW-4		

(watts)

5w	10w
----	-----

Q max. (l/h)	2500 liters/hr	4000 liters/hr
Operating Voltage (volts)	12 VDC	24 VDC
Dim. (mm.)	52 x 72.9 mm	52 x 68 mm



Jebao RW Controller



Jebao SW Controller



SeaSun Adapter 24VDC 1A

Number pieces in packaging:1 Number pieces in box:18

Customer Reviews: There are yet no reviews for this product.
Please log in to write a review.

You may also be interested in this/these product(s)

[Vendor Information](#)