

format from a single controller.

The controller will communicate with the designated slave pumps wirelessly, and can handle up to 8 slave pumps.

Each slave pump's output can be adjusted individually, while the master pump controls the wave function.

There is also a "Feed" button and a light sensor to reduce flow at night.

The new SW series has 8 different selectable flow rates down to 10%, while the older WP only had 3 choices (100%/75%/50%).

Product Description

This compact pump is attached to the aquarium wall with magnets and protrudes only about 3/4 inches into the tank, making it very easy to hide.

The pump includes a controller that can link with up to 8 other RW and SW pumps wirelessly, and has several wave functions.

The SW pumps can go down as low as 10% power, or 325 gal/hour, or as high as 100% power, or 3,250 gal/hour.

Each slave pump's output can be adjusted individually, while the master pump controls the wave function.

The SW-15 is equivalent to the WP-40 in output, and similar in size, and quieter than the WP-40. Features

- Easy installation and maintenance, Fixed with magnetic suction and absorption tray for selection

- Direction of wave can arbitrary rotation

- High performance, powerful water flow and low energy consumption.

- Adopt wear proof ceramic shaft can be used in a longer time.

- Intelligent wireless controlling system, can convert various wave patterns.

- Low voltage operation, safe and reliable.

- Suitable for fresh water and marine water.

	<u>SW-15</u>	<u>RW-15</u>	<u>WP-40</u>	<u>CP-40</u>
Power consumption				

(watts)

40w

Q max. (l/h)	13,000 liters/hr		
Operating Voltage (volts)	24 VDC		
Dim. (mm.)	70 x 103 mm	95 x 120 mm	290 x 60 x 45 mm



Jebao RW Controller



Jebao SW Controller



SeaSun Adapter 24VDC 4A

Number pieces in packaging:1 Number pieces in box:12
Customer Reviews: There are yet no reviews for this product.
Please log in to write a review.

You may also be interested in this/these product(s)
[Vendor Information](#)