

shop.flypage_lite_pdf.tp	shop.cart	
--------------------------	-----------	--

cartAdd	com_virtuemart	151
---------	----------------	-----

		4
--	--	---

Barcode 000676008256 Guarantee 1 year 100% Feature â€¢ Enhanced Motor Design

â€¢ Versatile

â€¢ High Flow Rate

â€¢ Low Energy Consumption

â€¢ Silent and Cool Operation

â€¢ Fully Submersible

â€¢ Magnetic Rotor Technology

â€¢ Ceramic Shaft and Bearings

â€¢ Marine and Freshwater Environments

Description

The new and improved RioÂ® Plus Aqua Pumps and Powerheads provide versatile water pump system des

Desinged with next generation magnetic-rotor technology, the RioÂ® Plus Aqua Pumps and Powerheads off

industry. The largest and most powerful models provide excellent performance within wet or dry filters and i

flow rates are needed. Reliable and quiet, RioÂ® Plus Aqua Pumps and Powerheads do not use oil to operat

A full range of RioÂ® Plus Aqua Pumps and Powerheads, designed to work in a variety of aquatic environme

competitive price.

Application

â€¢ Wet/dry filtration

â€¢ Protein skimmer

â€¢ Under gravel filtration

â€¢ Ponds â€¢ Water circulation â€¢ Fountains â€¢ Wet/dry filters & sump â€¢ Protein skimmers â€¢ Aquariums	Watts		Dimensions L x W x H (Approx.)	Gallons per Hour/Liters per Hour					
	Item #			0ft./cm	1ft./cm	2ft./cm	3ft./cm	4ft./cm	6ft./cm
Rio Plus 180 (UL)	4	1.8	2.3in x 1.5in x 1.8in	120/456	85/323	95/171			
Rio Plus 1100 UL	22	17	5in x 2.6in x 3.3in	382/1451			236/896	180/684	Under g
Rio Plus 2100 UL	40	29	5.9in x 2.8in x 3.7in	692/2630	352/1327				200/760
Rio Plus 2500 UL	55	29.5		782/2972	666/2530				
Rio Plus 3100 UL	73	53	6.4in x 3.1in x 4.3in	900/3420	720/2736				

115V/ 220V/

Flow Chart Graph

NOTE: This part list includes parts from all model of Rio Plus Aqua Pump

A. Main housing strainer

B. Impeller endcap

C. Impeller

D. Motor housing

E. Suction cup bracket

F. Pump hanger

G. Suction cups

H. Flow control

I. Air tubing & silencer

J. Duck bill

K. Under-gravel filter strainer

L. Under-gravel filter adapter

M. Intake & output pipe adapter



Rio+ 1700-2100
Impeller



Rio+2500 Impeller



[Click here to download Instruction for Installation](#)

Brand : Taam

Model : Rio+ Powerhead PH-2500

Voltage : 220-240V

Frequenct : 50-60Hz

Working Current : 0.13A

Working Watt : 29.5w

Water Flow Rate Max : 3000 liters/hr.

Air Flow Rate Max : -

Hight Max : 3.0m.

Place for installation : Internal & External

Size : 147 x 70 x 92 mm

Number pieces in packaging:1 Number pieces in box:12

Customer Reviews: There are yet no reviews for this product.

Please log in to write a review.

You may also be interested in this/these product(s)

[Vendor Information](#)