

shop.cart
150
cartAdd
com virtuemart
4

Barcode 5410288005034 Range features

Features These lamps consist of a tubular glass envelope and emit more than 85% of their energy in the UV-C ultra violet radiation with a peak at 253.7nm for germicidal action Shape, electrical characteristics and lighting circuits are similar to general fluorescent lamps The majority of germicidal lamps operate most efficiently in still air at an ambient temperature of 25°C All lamps are Ozone free A protective coating on the inside of the lamp limits the depreciation of the UV-C output

Applications Residential drinking water units Stand alone air purifiers Wall mounted air purification units Ponds & Aquaria

Directions for use The radiation from these lamps is very harmful to eyes and skin. Always protect your eyes and skin against radiation Germicidal lamps must only be used in appropriate equipment and applications When using UV-C emitting lamps, the official reference guides and the current industrial safety guideline must be followed Maximum Permissible Exposure Time (MPET) can be established for a given range of wavelengths. For example: 1 minute/day at a distance of 30cm Germicidal lamps emit UV-C radiation and must not be used for general lighting purposes

Bulb finish

Nominal average life (h) 8000

Å

Special purpose lamp	Yes
Type	T8
Transformer required	
Unit case	24

Features. These lamps consist of a tubular glass envelope and emit more than 85% of their energy in the UV-C ultra violet radiation with a peak at 253.7nm for germicidal action. Shape, electrical characteristics and lighting circuits are similar to general fluorescent lamps. The majority of germicidal lamps operate most efficiently in still air at an ambient temperature of 25Â°. All lamps are Ozone free. A protective coating on the inside of the lamp limits the depreciation of the UV-C output. . Applications. Residential drinking water units. Stand alone air purifiers. Wall mounted air purification units. Ponds & Aquaria. . Directions for use. The radiation from these lamps is very harmful to eyes and skin. Always protect your eyes and skin against radiation. Germicidal lamps must only be used in appropriate equipment and applications. When using UV-C emitting lamps, the official reference guides and the current industrial safety guideline must be followed. Maximum Permissible Exposure Time (MPET) can be established for a given range of wavelengths. For example: 1 minute/day at a distance of 30cm. Germicidal lamps emit UV-C radiation and must not be used for general lighting purposes

Long description

Product name	G30W T8
Cap/Base	G13
IEC Reference 3	
Ballast required	
Nominal average life (h)	8000
Bulb finish	
EAN code	5410288005034
IEC Reference	
IEC Reference 2	

Voltage (V)	96
Rated watt (W)	30
Watt (W)	30
Current (A)	0.365
Packaging single length (cm)	89.3
Packaging outer width (cm)	18.5
Packaging single width (cm)	2.55
Packaging outer height (cm)	13
Packaging outer length (cm)	94
Packaging single height (cm)	2.55
Length base to base (mm) - A	894.4
Length base to pin Min-Max - B	899.3-901.7
Lamp Length (mm) - C	908.8
Lamp Diameter (mm) - D	26

Number pieces in packaging:1 Number pieces in box:10
Customer Reviews: There are yet no reviews for this product.
Please log in to write a review.

You may also be interested in this/these product(s)
[Vendor Information](#)