

seasunaquarium.com

SeaSun aquarium



Search by Brand



zzz>>>>> Aqua-Macro

Aqua-Macro (Filter System) Nitrate Reductor MBE-22 (200 liters)

Aqua-Macro (Filter System) MBE-206 (600 liters) Aqua-Macro (Impeller) Pin Wheel Impeller ASN-255





Direction

1) Fill water into the chamber to the full.

2) Add the bacteria (Tablet) all into the chamber.

3) Put the plug running 2-3 days.

4) Pumping water into the chamber by Dosing pump, Siphon or Water pump.

5) Adjust the water flow rate of 1 drop / second.

6) Running 24 hour, nitrate is reduced gradually. And will be out after 1-3 months.

7) Change our special food (Red Ring) every 9-12 months.

Brand : Aqua-Macro Model : MBE-22 Capacity : 200 liters

Place for installation: External Hang-on use

Movement PumpÂ: Aqua-Macro 8w (included)

Feed Pump: Dosing Pump (excluded)

_Rate of FlowA: 1.5 liters/hr.

Diameter Size : 80 mm. **Height Size :** 280 mm.

Foot Print Size: 90x120 mm.



Aqua-Macro Deniring 40 pcs.

Aqua-Macro mV Controller



No Name Polyurethane Tube 6mm					

Number pieces in packaging:1 Number pieces in box:12 **Customer Reviews:** There are yet no reviews for this product.

Please log in to write a review.

You may also be interested in this/these product(s)

<u>Vendor Information</u>