



<div></div>			
<b>Guarantee 1 year 100% (ON SITE)</b>			
	<b>Parts :</b>	<b>Model :</b>	<b>Mask :</b>

	<p>Hot Coil , Capacitor , Fan Motor , Magnetic Relay</p>	<p>SeaSun</p>	<p>second hand decrease -4,000 baht (required)</p>
	<p>Compressor</p>	<p>Mitsubishi Rotary 2HP</p>	<p>second hand desrease -4,000 baht (required)</p>
	<p>Controller with Titanium Sensor</p>	<p>SeaSun Digital Controller</p>	<p>Wifi Controller (required)</p>



(Optional)

### Wifi Controller System (Optional)

**SeaSun Chiller** is new controller design capable of working through the app (Android or IOS) can monitor and control anywhere in the world with 3G , 4G or Wifi.

### Double Sensors System (Optional)

**SeaSun Chiller** is safer with double titanium sensors 2 point (in the tower coil and in the tank), if the system detects a malfunction sensor will be turn off to prevent the ice tank.

### Chiller or Heater Control System

**SeaSun Chiller** can be operate the chillers and heater. (Heater not included)

### Timer Programing System

**SeaSun Chiller** can be control the different temperature in a day (such as 08.00-17.30 at 26c / 20.00-05.00 25c )

**SeaSun Chiller** have strong metal chassis with a housing of contemporary design,ensuring the chiller does not look out of place in any surroundings and as with other cooling units.

**SeaSun Chiller** is Lower noise design, whilst the digital temperature controller ensures that the selected temperature is maintained.

*The rate of flow is decided according to the max jet of the pump(immersive power filter) and the circulation equipment*

		SeaSun	SeaSun	SeaSun 1HP	SeaSun 2HP	SeaSun 3HP
	Maximum (liters)	1/2HP 1500	3/4HP 2000	3000	6000	9000
Can be decrease 0 à 1°C	Before use be 30 à 1°C 30 à 1°C	Capacity (liters) >1500	Capacity (liters) >2000	Capacity (liters) >3000	Capacity (liters) >6000	Capacity (liters) >9000
-1 à 1°C	29 à 1°C	1500	2000	3000	6000	9000
-2 à 1°C	28 à 1°C	1350	1800	2700	5400	8100
-3 à 1°C	27 à 1°C	975	1300	1950	3900	5850
-4 à 1°C	26 à 1°C	750	1000	1500	3000	4500
-5 à 1°C	25 à 1°C	675	900	1350	2700	4050
-6 à 1°C	24 à 1°C	600	800	1200	2400	3600
-7 à 1°C	23 à 1°C	525	700	1050	2100	3150
-8 à 1°C	22 à 1°C	450	600	900	1800	2700
-9 à 1°C	21 à 1°C	375	500	750	1500	2250
-10 à 1°C	20 à 1°C	300	400	600	1200	1800

**Model : SeaSun Mitsubishi 2HP**

**Power : 2HP**

**Voltage : 220-240V**

**Frequenct : 50Hz**

**Working Current : 7A**

**Working Watt : 1540w**

**Stand by Watt : 1w**

**Iced Medium : R22**

**Max Water Refrigerated : 6000 liters**

**Rec. Water Refrigerated** : 3000 liters  
**Rate of Flow** : 5000-10000 liters/hr.

**Weight** : 55 kg.

**SeaSun Digital Temp Controller MH1210W**

**Gimleo Titanium Evaporator TIE-2.0 2HP**

Number pieces in packaging:1Number pieces in box:1

---

**Customer Reviews:**

There are yet no reviews for this product.  
Please log in to write a review.

---

**You may also be interested in this/these product(s)**

[Vendor Information](#)