



Barcode 8858672105538

Guarantee 1 year send factory - 24 Hr, 20A, One channel, 5 memory locations

- Power reserve of 2 years for continued timekeeping in the event of amains failure

- Incandescent / halogen lamp load 2300W, fluorescent lamp load 400W, Low energy lamp load 160W

- Symbol operator guidance on the 7 segment display takes the user step by step through the programming routines
 - Permanent ON/OFF facility
- Specification**

Feature	
Model	: W-TS221
Code	: 4800
Supply voltage	: 100-265 VAC 50/60 Hz.

Power consumption	: 2VA
Battery Back-up	: 2 Years
Display	: 7-segment Red LED letter
Timer	
Time unit	: 24 hr.
Memory locations	: 5 (On/Off)
Number of channel	: 1
Relay output	
Type	: SPST
Contact rating	: 16A at 250VAC (20A at 220VAC)
Environmental	
Operating temperature	: -10 to +55 C
Storage temperature	: -10 to +70 C
Ambient humidity	: Max 85%RH
Enclosure	

Model : W-TS221 4800

Voltage : 100-265V

Frequency : 50-60Hz

Working Current : 0.004A

Working Watt : 1w

Memory locations : 5 times/day

Output Max : 4400w 20A (at 220V)

Wire fixing : Screw terminal block 4mm

Product Size : 42 x 69 x 120mm

Package Size : 50 x 100 x 190mm

Weight : 157g



Take me out on Lazada

Take me out on Shopee

Number pieces in packaging:1 Number pieces in box:12
Customer Reviews: There are yet no reviews for this product.
Please log in to write a review.

You may also be interested in this/these product(s)
[Vendor Information](#)