

seasunaquarium.com

SeaSun aquarium



Aquarium Product

þ

Pump System (Freshwater & Saltwater)

þ

Wave Pump

Jebao (Wave Pump) RW- 8 2019 (8000 L/hr)(24 VDC)

Jebao (Wave Pump) RW- 4 2019 (4000 L/hr)(24 VDC) Jebao (Wave Pump) RW-15 2019 (13000 L/hr)(24 VDC)

VDC)



of propeller pumps succeed the cay popular WP line. The RW pump has a different look to widen the 10 ward also hake them quieter than the already silent WP's. The controller has some significant changes. Multiple pumps can now be controlled together in a master/slave format from a single controller. The controller will communicate with the designated slave pumps wirelessly, and can handle up to 8 slave pumps. Each slave pump's output can be adjusted individually, while the master pump controls the wave function. There is also a Feed button and a light sensor to reduce flow at night. The new RW series has 8 different selectable flow rates down to 10%, while the older WP only had 3 choices(100%/75%/50%). **Product**

Description

This compact pump is attached to the aquarium wall with magnets and protrudes only about 3 inches into the tank, making it very easy to hide. The pump includes a controller that can link with up to 8 other RW pumps wirelessly, and has several wave functions. The RW pumps can go down as low as 10% power, or 200 gal/hour, or as high as 100% power, or 2,000 gal/hour. Each slave pump's output can be adjusted individually, while the master pump controls the wave function.

The RW-8 is equivalent to the WP-25 in output, and similar in size, and quieter than the WP-25. Features?

- Easy installation and maintenance, Fixed with magnetic suction and absorption tray for selection
- Direction of wave can arbitrary rotation
- High performance, powerful water flow and low energy consumption.
- Adopt wear proof ceramic shaft can be used in a longer time.
- Intelligent wireless controlling system, can convert various wave patterns.
- Low voltage operation, safe and reliable.
- Suitable for fresh water and marine water.

	<u>SW</u> -8	<u>R</u> W-8	<u>W</u> P-25	<u>C</u> P-25
Power consumption	25w			
(watts)	25W			
Q max. (I/h)	8000 liters/hr			
Operating Voltage	24 VDC			
(volts)				
Diameter (mm.)	o42 x 63 mm	o80 x 100 mm	o52 x 68 mm	283 x 55 x 40

 mm

_

Jebao RW Controller



Jebao SW Controller



SeaSun Adapter 24VDC 2.5A

Number pieces in packaging:1 Number pieces in box:18 **Customer Reviews:** There are yet no reviews for this product.

Please log in to write a review.

You may also be interested in this/these product(s)

<u>Vendor Information</u>